ZTM 8 (22) 2018, S. 544–549

Eine universelle und physiologische Lösung für viele Implantatsysteme
Das BioHPP Sky® elegance prefab Abutment

ZT Stephan Adler et al.

Literatur

[1] Becker K, Mihatovic I, Golubovic V, Schwarz F. Impact of abutment material and dis-/re-connection on soft and hard tissue changes at implants with platform-switching. J Clin Periodontol 2012;39:774–780.

[2] Beuer F, Schweiger J, Hey J, Güth J.-F, Edelhoff D, Stimmelmayr M. Das Münchener Implantatkonzept (MIC): Eine praxisreife Kombination von Intraoralscanner und digitaler Fertigung. Dtsch Zahnärztl Z 2014;69:336–342.

[3] Degidi M, Nardi D, Piattelli A. One abutment at one time: non-removal of an immediate abutment and its effect on bone healing around subcrestal tapered implants. Clin Oral Implants Res 2011;22:1303–1307.

[4] Gehrke P, Dhom G, Brunner J et al. Zirconium implant abutments: fracture strength and influence of cyclic loading on retaining-screw loosening. Quintessence Int 2006;37:19–26.

[5] Gehrke P, Tabellion A, Fischer C. Microscopical and chemical surface characterization of CAD/CAM zircona abutments after different cleaning procedures. A qualitative analysis. J Adv Prosthodont. 2015 Apr;7(2):151–159.

[6] Grandi T, Guazzi P, Samarani R, Garuti G. Immediate positioning of de nitive abutments versus repeated abutment replacements in immediately loaded implants: effects on bone healing at the 1 year follow-up of a multicenter randomized controlled trial. Eur J Oral Implantol 2012;5:9–16.

[7] Happe A, Körner G, Rothamel D. Zur Problematik von submukösen Zementresten bei implantologischen Suprastrukturen und der Indikation individueller Abutments. Implantologie 2011;19:161–169.

[8] Happe A, Nadenau E, Röling N, Neugebauer J, Nickenig HJ, Rothamel D. Abutmentdesign Makro-, Mikro- und Nanoaspekte. Implantologie 2013;21(4):367–373.

[9] Klotz MW, Taylor TD, Goldberg AJ. Wear at the titanium- zirconia implant-abutment interface: a pilot study. Int J Oral Maxillofac Implants 2011;26:970–975.

[10] Koutouzis T, Richardson J, Lundgren T. Comparative soft and hard tissue responses to titanium and polymer healing abutments. The Journal of oral implantology 2011;37 Spec No: 174–182.

[11] Linkevicius T, Vindasiute E, Puisys A, Linkeviciene L et al.: The influence of cementation margin position on amount of undetected cement. A prosp. clinical study. Clin Oral Implants Res. 2012.

[12] Schweiger J, Beuer F, Stimmelmayr M, Edelhoff D: Moderne Wege zum Implantat-Abutment. Zahnärzt Mitteilungen 102, 54–63 (2012).

[13] Stimmelmayr M, Edelhoff D, Guth JF, Erdelt K, Happe A, Beuer F. Wear at the titanium-titanium and the titanium- zirconia implant-abutment interface: a comparative in vitro study. Dent Mater 2012;28:1215–1220.

[14] Sturz CR, Faber FJ, Scheer M, Rothamel D, Neugebauer J. Effects of various chair-side surface treatment methods on dental restorative materials with respect to contact angles and surface roughness. Dent Mater J. 2015;34(6):796–813. doi: 10.4012/dmj.2014–098.

[15] Verri C, Vavassori V, Borgonovo A E, Re D, Maiorana C: Einsatz von Hochleistungspolymeren (BioHPP) zur Rehabilitation bei oralen Implantaten. Scientifical & Clinical Cases Sofortige Einzelzahnversorgung 2015;16-17, bredent medical ISBN 978-3-9817105-4-0.

[16] Wolfart S: Implantatprothetik. Berlin: Quintessenz,2014, S.81.