

Literaturverzeichnis

ZTM 4 2023 (27), 206-210

Verblendete Zirkonoxid-Restaurationen – wie oft darf ich (nach-)brennen?

Dr. Justine Hensel, Prof. Dr. Bogna Stawarczyk M.Sc.

- [1] Fehmer, V., Mühlmann, S., Hä默le, C. H., & Sailer, I. (2014). Criteria for the selection of restoration materials. *Quintessence International*, 45(9), 723-730.
- [2] Stawarczyk, B., Keul, C., Eichberger, M., Figge, D., Edelhoff, D., & Lümkemann, N. (2017). Three generations of zirconia: From veneered to monolithic. Part I. *Quintessence International*, 48(5), 369-380.
- [3] Lümkemann, N., & Stawarczyk, B. (2021). Impact of hydrothermal aging on the light transmittance and flexural strength of colored yttria-stabilized zirconia materials of different formulations. *The Journal of Prosthetic Dentistry*, 125(3), 518-526.
- [4] Stawarczyk, B., Özcan, M., Trottman, A., Hä默le, C. H., & Roos, M. (2012). Evaluation of flexural strength of hipped and presintered zirconia using different estimation methods of Weibull statistics. *Journal of the Mechanical Behavior of Biomedical Materials*, 10, 227-234.
- [5] Zadeh, P. N., Lümkemann, N., Sener, B., Eichberger, M., & Stawarczyk, B. (2018). Flexural strength, fracture toughness, and translucency of cubic/tetragonal zirconia materials. *The Journal of Prosthetic Dentistry*, 120(6), 948-954.
- [6] Guazzato, M., Albakry, M., Ringer, S. P., & Swain, M. V. (2004). Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part II. Zirconia-based dental ceramics. *Dental Materials*, 20(5), 449-456.
- [7] Turon-Vinas, M., & Anglada, M. (2018). Strength and fracture toughness of zirconia dental ceramics. *Dental Materials*, 34(3), 365-375.
- [8] Babu, P. J., Alla, R. K., Alluri, V. R., Datla, S. R., & Konakanchi, A. (2015). Dental ceramics: Part I—An overview of composition, structure and properties. *American Journal of Materials Engineering and Technologies*, 3(1), 13-18.
- [9] Piconi, C., & Maccauro, G. (1999). Zirconia as a ceramic biomaterial. *Biomaterials*, 20(1), 1-25.
- [10] Vichi, A., Louca, C., Corciolani, G., & Ferrari, M. (2011). Color related to ceramic and zirconia restorations: a review. *Dental Materials*, 27(1), 97-108.
- [11] Fischer, J., Stawarczyk, B., & Hä默le, C. (2008). Flexural strength of veneering ceramics for zirconia. *Journal of Dentistry*, 36(5), 316-321.
- [12] Kelly, J. R. (1997). Ceramics in restorative and prosthetic dentistry. *Annual Review of Materials Science*, 27(1), 443-468.
- [13] Reise, M. (2004). Das kleine ABC der Verblendkeramik. *Materialkunde. ZWP spezial*, 22-25.
- [14] Babu, P. J., Alla, R. K., Alluri, V. R., Datla, S. R., & Konakanchi, A. (2015). Dental ceramics: Part I—An overview of composition, structure and properties. *American Journal of Materials Engineering and Technologies*, 3(1), 13-18.
- [15] Cesar, P. F., Yoshimura, H. N., Júnior, W. G. M., & Okada, C. Y. (2005). Correlation between fracture toughness and leucite content in dental porcelains. *Journal of Dentistry*, 33(9), 721-729.

- [16] McLaren, E., & Giordano, R. (2010). Ceramics overview: classification by microstructure and processing methods. *Compendium of Continuing Education in Dentistry*, 31, 682-684.
- [17] Heintze, S. D., & Rousson, V. (2010). Survival of zirconia-and metal-supported fixed dental prostheses: a systematic review. *International Journal of Prosthodontics*, 23(6), 493-502.
- [18] Baldassarri, M., Stappert, C. F., Wolff, M. S., Thompson, V. P., & Zhang, Y. (2012). Residual stresses in porcelain veneered zirconia prostheses. *Dental Materials*, 28(8), 873-879.
- [19] Guess, P. C., Kuliš, A., Witkowski, S., Wolkewitz, M., Zhang, Y., & Strub, J. R. (2008). Shear bond strengths between different zirconia cores and veneering ceramics and their susceptibility to thermocycling. *Dental Materials*, 24(11), 1556-1567.
- [20] Swain, M. V. (2009). Unstable cracking (chipping) of veneering porcelain on all-ceramic dental crowns and fixed partial dentures. *Acta Biomaterialia*, 5(5), 1668-1677.
- [21] Benetti, P., Kelly, J. R., Sanchez, M., & Della Bona, A. (2014). Influence of thermal gradients on stress state of veneered restorations. *Dental Materials*, 30(5), 554-563.
- [22] Tholey, M. J., Swain, M. V., & Thiel, N. (2011). Thermal gradients and residual stresses in veneered Y-TZP frameworks. *Dental Materials*, 27(11), 1102-1110.
- [23] Rodrigues, C. D. S., Aurélio, I. L., Kaizer, M. D. R., Zhang, Y., & May, L. G. (2019). Do thermal treatments affect the mechanical behavior of porcelain-veneered zirconia? A systematic review and meta-analysis. *Dental Materials*, 35(5), 807-817.
- [24] Anusavice, K., DeHoff, P., Hojjatie, B., & Gray, A. (1989). Influence of tempering and contraction mismatch on crack development in ceramic surfaces. *Journal of Dental Research*, 68(7), 1182-1187.
- [25] Fischer, J., Stawarczyk, B., Tomic, M., Strub, J. R., & Haemmerle, C. H. (2007). Effect of thermal misfit between different veneering ceramics and zirconia frameworks on in vitro fracture load of single crowns. *Dental Materials Journal*, 26(6), 766-772.
- [26] Göstemeyer, G., Jendras, M., Borchers, L., Bach, F.-W., Stiesch, M., & Kohorst, P. (2012). Effect of thermal expansion mismatch on the Y-TZP/veneer interfacial adhesion determined by strain energy release rate. *Journal of Prosthodontic Research*, 56(2), 93-101.
- [27] Juntavee, N., & Dangsuwan, C. (2018). Role of coefficient of thermal expansion on bond strength of ceramic veneered yttrium-stabilized zirconia. *Journal of Clinical and Experimental Dentistry*, 10(3), e279-e286.
- [28] DIN ISO 6872:2019-01. Dentistry – Ceramic Materials.
- [29] Al-Zarea, B. K. (2015). Maximum bite force following unilateral fixed prosthetic treatment: a within-subject comparison to the dentate side. *Medical principles and practice : International Journal of the Kuwait University, Health Science Centre*, 24(2), 142-146.

